


# e-Tech Library EMEA FAQs

## Why e-Tech Library?

A new way to access technical literature featuring interactive technical content, as well as fast and intelligent search functionality.



## What content is available in e-Tech Library?

All technical literature. For Parts Manuals, please reference the [Electronic Parts Catalog](#).

## e-Tech Library Content vs PDF Content?

e-Tech Library always contains the most current information. PDFs are not updated until a new revision is published. e-Tech Library functions like the Electronic Parts Catalog (EPC), utilizing real-time updates.

## Which preferred browser should I use to access e-Tech Library?


Preferred Browser: Microsoft Edge

Supported Browser: Microsoft Edge, Chrome

Unsupported Browser: Internet Explorer, Firefox

## How do I access e-Tech Library?

Login to EMEA Infocentral and access e-Tech Library EMEA from your "Quick Links".



You can also access e- Tech Library from the Technical Information section of the menu as shown below.



## How does e-Tech Library Work?

### Selecting your language

This is based on the same concept as EMEA Infocentral. When you select your language here, this already filters the content to just the languages that you pick.

The difference from EMEA Infocentral, is that.

Note: You can select more than one language and I would recommend selecting English along with the language (s) that you prefer – as not all documents are translated into every language.

Note: We do have “Browser Translation” activated on our site.

**Please note that if you use your browser’s translation option, Thermo King cannot is not responsible and cannot be held liable for incorrect or inaccurate translations. We still have several structured translations on the site. Please use those to verify if you have any concerns.**

The above disclaimer appears on the site to explain this to all users. This is not a professional translation service, and we cannot guarantee accuracy (80-90% accuracy approximately from our testing), however, this will give access to a wider audience for translated manuals. See below for more information on how to enable this for your browser.

#### Select which language(s) you need

Your language selection(s) will be prioritized for all available document translations.

- |  |   |   |
|--|---|---|
| <input checked="" type="checkbox"/> EN - English | <input type="checkbox"/> ES - Spanish           | <input checked="" type="checkbox"/> FR - French |
| <input type="checkbox"/> IT - Italian            | <input checked="" type="checkbox"/> DE - German | <input type="checkbox"/> ZH - Mandarin          |
| <input type="checkbox"/> NL - Dutch/Flemish      | <input type="checkbox"/> PT - Portuguese        | <input type="checkbox"/> PL - Polish            |
| <input type="checkbox"/> CS - Czech              | <input type="checkbox"/> DA - Danish            | <input type="checkbox"/> HU - Hungarian         |
| <input type="checkbox"/> EL - Greek              | <input type="checkbox"/> RU - Russian           | <input type="checkbox"/> RO - Romanian          |
| <input type="checkbox"/> SV - Swedish            | <input type="checkbox"/> TR - Turkish           | <input type="checkbox"/> AR - Arabic            |
| <input type="checkbox"/> JA - Japanese           |   |   |

Apply

### Search based on Unit Type

1. You must Select both Product Family & Unit Type from the e-Tech Library home page.

Click Search icon. (Model/Document Type can be selected to filter results)

Note: Model filter is only available for Bus Product Family and OEM is also Product Family specific.

### Searching in E-Tech Library

E-Tech Library has an advanced search. When you search for something, this search will search the content of the documents as well as document Titles etc. The search will bring up documents most relevant first, but you can also use additional filters to find the exact document/

To search using the Search box from the home page, enter “compressor” as shown below.

Compressor

|                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| Product Family       | Unit Type            | Model                | OEM                  | Document Type        |
| <input type="text"/> |

On the Search Results page, you can filter from all the appropriate categories for your search (these will change depending on the document.). These filters can be collapsed or expanded as needed.

## Search Results:

Q

▶ **Search Type**

▼ **Document Type**

Maintenance or Service 18,350

Diagnostic 8,774

Operation or Owners 5,629

Installation 2,961

Miscellaneous or Other 180

Compliance or Regulations 4

▶ **Language**

▶ **Unit Type**

▶ **Model**

▶ **OEM**

↺ [Reset Filters](#)

Selecting Document Type “Maintenance or Service”, Language “de” and Unit Type SLXi for example gives the following results

## Search Results: *Compressor*

Q

▼ **Search Type**

Manuals 3

▼ **Document Type**

Maintenance or Service 54

▼ **Language**

de 54

▼ **Unit Type**

SLXi 54

SLX-300 20

SLX-400 20

SLXi-300 20

SLXi-400 20

SLX-100 17

SLX-200 17

SLXi-100 17

SLXi-200 17

Spectrum SLXi 17

↺ [Reset Filters](#)


Cahill, Una (una\_cahill@thermoking.com) is signed in

| CONTENT                | NUMBER   | TITLE   | LANGUAGES                   | DATE CREATED |
|------------------------|----------|---|-----------------------------|--------------|
| Maintenance or Service | TK 61552 | <a href="#">Compressor &gt; Ausgabe Sattelaufleger SLXi-300 und SLXi-400</a>                  | DE <b>EN</b> FR IT ES<br>RU | 08/01/2023   |
| Maintenance or Service | TK 61556 | <a href="#">Compressor &gt; Ausgabe Sattelaufleger SLXi Spectrum</a>                          | DE <b>EN</b> FR IT ES<br>RU | 08/01/2023   |
| Maintenance or Service | TK 61555 | <a href="#">Compressor &gt; Ausgabe Trailer SLXi-100 und SLXi-200</a>                         | DE FR IT ES RU              | 08/01/2023   |
| Maintenance or Service | TK 61552 | <a href="#">Refrigeration System Components &gt; Einfachtemperaturmaschinen</a>               | DE RU ES IT<br><b>EN</b> FR | 11/17/2022   |
| Maintenance or Service | TK 61555 | <a href="#">High Pressure Cutout Switch &gt; Ausgabe Trailer SLXi-100 und SLXi-200</a>        | DE IT RU FR ES              | 08/01/2023   |
| Maintenance or Service | TK 61552 | <a href="#">High Pressure Cutout Switch &gt; Ausgabe Sattelaufleger SLXi-300 und SLXi-400</a> | DE IT RU FR<br><b>EN</b> ES | 08/01/2023   |


# How to enable Browser Translate?

## Microsoft Edge:


1. Click  on Microsoft Edge browser to see the settings.
2. Click Settings -> Languages.
3. Set the Languages as in the screenshot below. Enable “Offer to translate pages that aren’t in a language I read”.




4. If your Preferred language is English and Microsoft Edge is displayed in English, then please follow below steps to enable browser Translate option. If Microsoft Edge is displayed in different language, then English, Translate button should be visible.
5. Add an additional language using Add Languages (German example below). For German language select “Display Microsoft Edge in this language”. It would ask to Restart the browser. Click Restart.
6. For Language settings, select below option for **Englisch (Vereinigte Staaten)** language.



7. Open e-Tech Library [e-Tech Library EMEA - Test \(tranetechnologies.com\)](https://tranetechnologies.com)
8. Click on Translate icon  would be visible on the all the pages and click the option marked.



9. Go back to Settings -> Language and select the option as shown



10. Restart the browser window.


11. Open [e-Tech Library EMEA \(tranetechnologies.com\)](https://www.tranetechnologies.com)

12. Translate icon  would be visible on the all the pages of e-Tech Library.


## Google Chrome:

1. Click  on Google Chrome browser to see the settings or type **chrome://settings/languages** in url box.
2. Set the languages as in the screenshot below. Enable Google Translate.

### Preferred languages



## Google Translate



3. Restart browser window.
4. Translate icon  will be visible on all the pages.

## Navigate To Manual -> Table of Contents

1. Click Search Result to access the Manual Viewer page with Table of Contents and PDF.
2. Click Chapter/Topic on the left of the screen to view the content in HTML.
3. Click on the "3 dots" at the right of the PDF to download and save PDF.

The screenshot shows the Thermo King website's manual viewer. The top navigation bar includes the Thermo King logo and links for "Thermo King", "Frigoblock", "EMEA InfoCentral", "User Manuals", "iService", and "Help". A search bar on the right says "Search Topics in Manual" with a search icon and "Search Tips" below it. The main content area is titled "Trailer Edition SLXi" and lists various sections: "Introduction" (Revision History, Customer Satisfaction Survey), "Safety Precautions" (Danger, Warning, Caution, and Notice, General Practices, Battery Installation and Cable Routing, Refrigerant Hazards, Refrigerant Oil Hazards, First Aid), "Spectrum Multi-Temperature System Selection Guide" (Best Practice), "Trailer Requirements" (Front Wall Requirements, Unit Mounting Hardware, Unit Dimensions, Fuel Tank Mounting, King Pin Dimensions, Swing Radius Clearance), and "Swing Radius and King Pin Requirements". A red arrow points to the "Trailer Requirements" section. On the right, a PDF viewer shows the "THERMO KING Installation Manual" for the "Trailer Edition SLXi". The PDF viewer's toolbar includes a search icon, a page number "1 of 64", and a red circle around the "More options" (three dots) icon, with a red arrow pointing to it. Above the PDF viewer, there are "Next>" and "Previous" navigation icons.

## Search Within the Manual

1. Type text in the Search Box and click the Search icon.

The screenshot shows the Thermo King website's search interface. At the top, the navigation bar includes 'Thermo King', 'Frigoblock', 'EMEA InfoCentral', 'User Manuals', 'iService', and 'Help'. A search box contains the text 'Required Tools' and is circled in red. Below the search bar, a sidebar on the left lists various manual sections under the heading 'A-Series', including 'Trailer Requirements', 'Front Wall Requirements', 'Unit Mounting Hardware', 'Unit Dimensions', 'Fuel Tank Mounting', 'Swing Radius and King Pin Evaporator Opening Requi', 'Mounting Hardware Requi', 'Mounting Bolts', 'Mounting Bolt Specifications', 'Lifting Bar Dimensions', 'Required Tools for Installa', 'Installation Components – Uncrating the Unit', 'Installing the Foam Insulat', 'Installing the Unit', 'Installing the Drain Hoses', 'Compliance Log Installatio', 'Sensor Location Recommendation', 'Connecting the Compliance Log', 'Installing the Fuel Lines', 'Installing the Fuel Tank', and 'Compliance Log Requi'. The main content area displays the search results for 'Required Tools', showing a section titled 'Trailer Requirements' with a sub-section 'Approximate Weight of Trailer transport temperature control units:'. This is followed by a table with two columns: 'Model' and 'Weight'. The table lists three models: A360, A400, and A500, all with a weight of 840 kg (1852 lbs). Below the table is a section titled 'Front Wall Requirements' with a red warning banner that reads 'Danger' and 'Risk of Injury'. The warning text states: 'The front wall of the trailer must be structurally strong enough to support the weight of the refrigeration unit.' Below the warning is a section titled 'Unit Mounting Hardware'.

Thermo King Frigoblock EMEA InfoCentral User Manuals iService Help - Required Tools Search Tips

A-Series PDF

First Aid

Trailer Requirements

Front Wall Requirements

Unit Mounting Hardware

Unit Dimensions

Fuel Tank Mounting

Swing Radius and King Pin Evaporator Opening Requi

Mounting Hardware Requi

Mounting Bolts

Mounting Bolt Specifications

Lifting Bar Dimensions

Required Tools for Installa

Installation Components – Uncrating the Unit

Installing the Foam Insulat

Installing the Unit

Installing the Drain Hoses

Compliance Log Installatio

Sensor Location Recommendation

Connecting the Compliance Log

Installing the Fuel Lines

Installing the Fuel Tank

Compliance Log Requi

Trailer Requirements

Approximate Weight of Trailer transport temperature control units:

| Model | Weight            |
|-------|-------------------|
| A360  | 840 kg (1852 lbs) |
| A400  | 840 kg (1852 lbs) |
| A500  | 840 kg (1852 lbs) |

Front Wall Requirements

**Danger**

**Risk of Injury**

The front wall of the trailer must be structurally strong enough to support the weight of the refrigeration unit.

Unit Mounting Hardware

2. Search results are only from the context of the manual.

## Search Results: Compliance Log

The screenshot shows the search results for 'Compliance Log'. On the left, there is a search box with 'Compliance Log' entered and a search icon. Below the search box are several filter sections: 'Search Type' with 'Manuals' and 'Topic' options; 'Document Type' with 'Installation' selected; 'Language' with 'en' selected; 'Unit Type' with 'A-Series', 'A-360', 'A-400', and 'A-500' selected; and 'Model' with 'A-360', 'A-400', 'A-500', 'A-500 Spectrum', and 'A-500' selected. A 'Reset Filters' button is at the bottom of the filter section. The main results area shows three results, each with a document icon, the word 'Installation', the number 'TK 61752', a title, and a list of languages. The results are: 1. 'Connecting the Compliance Log Sensors > A-Series' with languages EN DE ES FR RU IT; 2. 'A-Series > Single Temperature Systems' with languages EN DE RU ES IT FR; 3. 'Sensor Location Recommendations > A-Series' with languages EN ES RU DE IT FR. Below the results, it says 'Showing 1 - 3 of 3 results'.

Compliance Log

Search Type

Manuals

Topic

Document Type

Installation

Language

en

Unit Type

A-Series

A-360

A-400

A-500

Model

A-360

A-400

A-500

A-500 Spectrum

A-500

Reset Filters

CONTENT NUMBER TITLE LANGUAGES

Installation TK 61752 Connecting the Compliance Log Sensors > A-Series EN DE ES FR RU IT

Single Temperature Systems

Installation TK 61752 A-Series > EN DE RU ES IT FR

Single Temperature Systems

Installation TK 61752 Sensor Location Recommendations > A-Series EN ES RU DE IT FR

Single Temperature Systems

Showing 1 - 3 of 3 results

## Search within the Topic

Press Ctrl + F to use browser search feature to search text within the topic.

The screenshot shows the Thermo King website interface. At the top, there is a navigation bar with the Thermo King logo and the text 'Thermo King Frigoblock EM'. A search bar on the right contains the text 'Compliance Log' and shows '1/8' results. Below the navigation bar, a sidebar on the left lists various installation topics under the heading 'A-Series'. The main content area displays the article 'Connecting the Compliance Log Sensors'. The article includes a note stating that the system can have up to six sensors, with one already fitted. It also provides a procedure for connecting additional sensors, including a diagram showing wire connections between points A, B, and C.

## Content/Topic Based Search

Content/Topic Based Search works like Google search. Example, to search for content based on unit type T-600R/A-500, the user can type 600R to get all the results and filter the results using the search facets.

### Not Getting Desired Search Results?

You can conduct more advanced searches:

- Use operators such as AND, OR, and AND NOT to refine your search.
  - If not specified, this page uses OR as the default between words.
- When performing an exact phrase match, for example “fuel filter”, double quotation marks will automatically be added around multiple keywords.
- When performing a phrase with a hyphen (-), for example “40-871”, double quotation marks will automatically be added.
- Add an asterisk to the end of your keyword to search for items that start with the word, for example, filter\*.
- Use parentheses around search terms with logical operators to group search terms. For example, you can search for:
  - (“Fuel” and “Filter”) OR (“Battery” and “Charger”) – searches for either Fuel Filter or Battery Charger.
  - (“Fuse”) and (“Size” OR “Function”) and Trailer – searches for items that contain Fuse Size and Trailer or Fuse Function and Trailer.
- Question marks match only one character in the middle or end of your search term.

### Search Facets – Input Box

If a search facet for the search results exceeds 12, there is a search input box that appears under the search facet to type the search text. Example, to search SLXi-100 simply type ‘slx’ to get all the results.

SLX



▼ Search Type

Manuals 3

▼ Document Type

Operation or Owners 40

Installation 19

▼ Language

en 59

▼ Unit Type

SLXe 59

SLXi 59

SLX-300 40

SLX-400 40

SLXi-300 40

SLXi-400 40

▼ Model

Standard 40

[Reset Filters](#)

## How to navigate back to the e-Tech Library home page?

Click Thermo King logo on the top Navigation bar of e-Tech Library. To navigate to EMEA Infocentral, click the dropdown.



## Adding Favorites and viewing them

You can add favorites at any time using the “star” icon at the top right of a manual or “topic”



To View your favourites or Recently Viewed files (at any time), select the “Account” icon drop down



## Additional questions or concerns?

Please contact [TK EMEA Infocentral Support](#)